




2024 Top 20 Protocols - After Hours Pediatric

These are the top 20 After Hours Pediatric protocols used in ClearTriage in 2024. The percentage listed after each protocol reflects the percentage of the total number of After Hours Pediatric calls that included that protocol.

-
- | | |
|--|---|
| 1. Cough – 9.7% | 11. Diarrhea – 1.8% |
| 2. Fever - 3 Months or Older – 5.6% | 12. Colds Without Cough – 1.8% |
| 3. Vomiting Without Diarrhea – 4.8% | 13. Constipation – 1.7% |
| 4. Medication Question Call – 4.6% | 14. Immunization Reactions – 1.7% |
| 5. Head Injury – 3% | 15. Vomiting With Diarrhea – 1.6% |
| 6. Sore Throat – 2.3% | 16. Rash or Redness – Localized – 1.2% |
| 7. COVID-19 – Diagnosed/Suspected – 2.3% | 17. Croup – 1.1% |
| 8. Eye - Pus Or Discharge – 2.2% | 18. Abdominal Pain – Female – 1% |
| 9. Earache – 2.1% | 19. Hives – 1% |
| 10. Rash or Redness – Widespread – 1.9% | 20. Ear Infection Follow-up Call – 0.9% |
-

Top 20 Protocols vs All Other Calls



Percentage of total After Hours Pediatric calls using at least one of the top 20 protocols: 52.4%